AD)

Award Number: DAMD17-99-1-9062

TITLE: DNA Damage, Fruits and Vegetables and Breast Cancer

Prevention

PRINCIPAL INVESTIGATOR: Henry J. Thompson, Ph.D.

CONTRACTING ORGANIZATION: AMC Cancer Research Center

Denver, Colorado 80214

REPORT DATE: August 2001

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of

reducing this burden to Washington Headquarters S Management and Budget, Paperwork Reduction Pro		and Reports, 1215 Jefferson Davis	Highway, Suite 1204, A	rlington, VA 22202-4302, and to the Office of
1. AGENCY USE ONLY (Leave	2. REPORT DATE	3. REPORT TYPE AND		
blank)	August 2001	Annual (01 Aug		
4. TITLE AND SUBTITLE DNA Damage, Fruits and Prevention	Jegetables and Breast	Cancer	5. FUNDING NI DAMD17-99-	
6.AUTHOR(S) Henry J. Thompson, Ph.D	•			
7. PERFORMING ORGANIZATION NA AMC Cancer Research Center Denver, Colorado 80214 E-Mail: thompsonh@amc.org			REPORT NU	
9. SPONSORING / MONITORING AG U.S. Army Medical Research and I Fort Detrick, Maryland 21702-501	Materiel Command	S)		NG / MONITORING EPORT NUMBER
11. SUPPLEMENTARY NOTES 12a. DISTRIBUTION / AVAILABILITY Approved for Public Rel		limited		12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 Words				
The purpose of this project is damage and lipid peroxidatio underlies the work proposed carcinogenesis and that these exogenous carcinogens. The (intervention) servings of fruit to DNA and lipids is being dowere identified as eligible to have completed the study. A April 2002. Evaluation of bid	to evaluate the effect(s) of n in a population of wome is based on evidence that to mutagenic events can resu effects of consuming a rec- its and vegetables per day etermined. During this rep- participate. Of these candi- cerual to the study continu	n at elevated risk for the occurrence of DN alt from oxidative strained diet desi- tipe-defined diet desi- for a total of 8 weel forting period, 160 in didate participants, 12 des with the objective	r breast cancer. IA mutations ress, even in the second proving to proving the second province of the second provi	er. The rationale that are essential steps in the absence of ide three (control) or ten es of oxidative damage erested in the project egan the study and 92 ng accrual goals by

14. SUBJECT TERMS Breast Cancer, Oxidati	15. NUMBER OF PAGES 7 16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified .	<u> </u>	Unlimited

data evaluations are not a component of the analysis plan, no additional results are available.

Table of Contents

Cover	1
SF 298	2
Table of Contents	3
Introduction	4
Body	4
Key Research Accomplishments	5
Reportable Outcomes	5
Conclusions	5
References	5 -

Introduction

The objective of this research project is to determine the effect(s) of increasing fruit and vegetable intake on oxidative DNA base damage and lipid peroxidation in a population of women at elevated risk for breast cancer. The rationale that underlies the work proposed is based on evidence that the occurrence of DNA mutations are essential steps in carcinogenesis and that these mutagenic events can result from oxidative stress, even in the absence of exogenous carcinogens. The effects of consuming a recipe-defined diet designed to provide three (control) or ten (intervention) servings of fruits and vegetables per day for a total of 8 weeks on measures of oxidative damage to DNA and lipids is being determined. Urine and blood components are being assessed for oxidative endpoints and plasma is being evaluated for biochemical markers of edible plant consumption.

Body

Approved Statement of Work

To test whether an increase in consumption of fruits and vegetables will decrease indicators of oxidative cellular damage in women at high risk for breast cancer occurrence or reoccurrence.

The activities required to complete the work statement were:

- a. Initiate recruitment 2 months prior to initiation of a study group into the investigation.
- b. Conduct the 8 week intervention in a total of 2 study groups (50 subjects, 25/group).
- c. Perform laboratory analyses
- d. Repeat steps a-c an additional three times (Years 1-3). We anticipate that recruitment will be completed during year three, and that laboratory and statistical analyses will continue throughout the project.
- e. Summarize results and write reports and manuscripts (Years 1-3).

Project Implementation

Introduction As noted in the original application, this project was based on pilot work in which we studied the effects of a two-week recipe defined diet on oxidative markers. Upon commencement of work on this project, a multi-pronged plan of attack was implemented. Its elements included: 1) modification of the recipe-defined menus for use in an 8-week intervention study; 2) development and testing of intervention materials; and 3) further evaluation of the candidate oxidative markers. As reported in the First Annual Report, significant progress was made and recruitment was initiated. As outlined below, effort during the second year of the project has focused on conducting the intervention study.

Scheduling In order to maximize the likelihood of high dietary compliance, it was deemed very desirable to avoid major secular and denominational holidays during the course of the dietary intervention. Avoidance of July and August was also deemed desirable because of participant vacation schedules. During the calendar year, three blocks of time were identified as being most desirable and were targeted for recruitment efforts. Interventions were conducted during each of these time intervals during year 2 of the project.

Recruitment As might be anticipated, subject recruitment is a key aspect of this project and has required an exceeding amount of effort to be successful. One hundred sixty interested and eligible subjects were identified during this reporting period; however, we found that approximately 25% of individuals, making a verbal commitment to participate in a particular scheduled intervention, failed to actually enroll in the study. The most common reason given for deciding not to go forward with the expressed intent to participate was a work-related scheduling conflict that occurred during the 10-week recruitment period that preceded each intervention block.

Dropouts One hundred twenty individuals gave informed consent, enrolled in an intervention study, and gave specimens and dietary information. A total of 92 (76.7%) actually completed the study. Reasons for dropping out were categorized into three major categories: time constraints (e.g. work conflicts or insufficient time to prepare meals as required), 42.9%; unable to follow the diet (e.g. couldn't adjust to following a prescribed diet for an extended period of time, or didn't like the menus) 35.7%; and illness not related to the study (e.g. contracting flu or a severe cold). One individual who dropped was contacted for follow-up, but never returned phone calls or correspondence.

Adverse events No major or minor adverse events have been noted during the course of the project.

Sample evaluation Analyses of biological samples and dietary records are ongoing.

Statistical analyses If formal interim statistical analyses are performed, this would lower the p-value required to meet the criteria for statistical significance for reasons parallel to those associated with multiple comparisons. For this reason, it is deemed prudent to await the collection of all data and then subject the entire data set to formal statistical analyses.

Key Research Accomplishments

- A total of 160 interested and eligible participants were identified during year 2 of the grant and three intervention cycles were conducted. Of the 160 candidate participants who indicated their verbal intention to participate, 120 subjects actually gave informed consent and biological specimens. Of these individuals, 92 completed the intervention.
- Based on information gleaned from the first three intervention cycles, efforts have been directed to intensifying recruitment activity. It is anticipated that accrual goals will be completed by April 2002.

Reportable Outcomes (cumulative)

- Cookbooks were developed and tested.
- Supporting intervention materials were developed and tested.
- An alternative method of analysis of a urinary product of DNA oxidation was identified.
- Assessment of serum protein oxidation was shown to be feasible.

Conclusions During this reporting period 92 subjects completed the dietary intervention. It is anticipated that accrual goals will be completed by April 2002.

References (cumulative)

- 1. Park, E.M., Shigenaga, M.K., Degan, P., Korn, T.S., Kitzler, J.W., Wehr, C.M., Kolachana, P., and Ames, B.N. (1992) Assay of excised oxidative DNA lesions: isolation of 8-oxoguanine and its nucleoside derivatives from biological fluids with a monoclonal antibody column. *Proc.Natl.Acad.Sci U.S.A.*, **89**, 3375-3379.
- 2. Halliwell,B. (1999) Establishing the significance and optimal intake of dietary antioxidants: the biomarker concept. *Nutr. Rev.*, **57**, 104-113.

- 3. Halliwell,B. (1998) Can oxidative DNA damage be used as a biomarker of cancer risk in humans? Problems, resolutions and preliminary results from nutritional supplementation studies. *Free Radic.Res.*, **29**, 469-486.
- 4. Inoue, M., Kamiya, H., Fujikawa, K., Ootsuyama, Y., Murata-Kamiya, N., Osaki, T., Yasumoto, K., and Kasai, H. (1998) Induction of chromosomal gene mutations in Escherichia coli by direct incorporation of oxidatively damaged nucleotides. New evaluation method for mutagenesis by damaged DNA precursors in vivo. *J. Biol. Chem.*, 273, 11069-11074.
- 5. Suzuki, M., Matsui, K., Yamada, M., Kasai, H., Sofuni, T., and Nohmi, T. (1997) Construction of mutants of Salmonella typhimurium deficient in 8- hydroxyguanine DNA glycosylase and their sensitivities to oxidative mutagens and nitro compounds. *Mutat. Res.*, 393, 233-246.
- 6. Demple,B. and Harrison,L. (1994) Repair of oxidative damage to DNA: enzymology and biology. *Annu.Rev.Biochem.*, **63:915-48**, 915-948.
- 7. Bessho, T., Tano, K., Kasai, H., Ohtsuka, E., and Nishimura, S. (1993) Evidence for two DNA repair enzymes for 8-hydroxyguanine (7,8-dihydro-8-oxoguanine) in human cells. *J. Biol. Chem.*, **268**, 19416-19421.
- 8. Reardon, J.T., Bessho, T., Kung, H.C., Bolton, P.H., and Sancar, A. (1997) In vitro repair of oxidative DNA damage by human nucleotide excision repair system: possible explanation for neurodegeneration in xeroderma pigmentosum patients. *Proc.Natl.Acad.Sci.U.S.A*, **94**, 9463-9468.
- 9. Klungland, A., Rosewell, I., Hollenbach, S., Larsen, E., Daly, G., Epe, B., Seeberg, E., Lindahl, T., and Barnes, D.E. (1999) Accumulation of premutagenic DNA lesions in mice defective in removal of oxidative base damage. *Proc.Natl.Acad.Sci.U.S.A*, **96**, 13300-13305.
- 10. Dianov, G., Bischoff, C., Piotrowski, J., and Bohr, V.A. (1998) Repair pathways for processing of 8-oxoguanine in DNA by mammalian cell extracts [In Process Citation]. *J. Biol. Chem.*, **273**, 33811-33816.
- 11. Le Page,F., Kwoh,E.E., Avrutskaya,A., Gentil,A., Leadon,S.A., Sarasin,A., and Cooper,P.K. (2000) Transcription-coupled repair of 8-oxoguanine: requirement for XPG, TFIIH, and CSB and implications for Cockayne syndrome. *Cell*, **101**, 159-171.
- 12. Prieme', H., Loft, S., Cutler, R.G., and Poulsen, H.E. (1996) Measurement of oxidative stress in humans: Evaluation of a commercially available ELISA assay. In Kumpulainin JT (ed.) *Natural antioxidants and*

food quality in atherosclerosis and cancer prevention. Royal Society of Chemistry, Cambridge, UK, pp 78-82.

- 13. Haegele, A.D., Gillette, C., O'Neill, C., Wolfe, P., Heimendinger, J., Sedlacek, S., and Thompson, H.J. (2000) Plasma xanthophyll carotenoids correlate inversely with indices of oxidative DNA damage and lipid peroxidation. *Cancer Epidemiol. Biomarkers Prev.*, 9, 421-425.
- 14. Bogdanov, M.B., Beal, M.F., McCabe, D.R., Griffin, R.M., and Matson, W.R. (1999) A carbon column-based liquid chromatography electrochemical approach to routine 8-hydroxy-2'-deoxyguanosine measurements in urine and other biologic matrices: a one-year evaluation of methods. *Free Radic Biol Med.*, 27, 647-666.